



Approved Street Trees

The trees included in this Appendix were selected to achieve many goals of the community including providing safe and reliable transportation, preserving and protecting public infrastructure, and the long-term viability of Washington County’s transportation system. In addition, this list has also been revised to include the goals adopted in the Climate-Friendly and Equitable Communities (CFEC) rules to help meet state goals to reduce climate pollution, especially from transportation.

Planter Sizing – Less than 3 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30’ tall)	Allowable under PGE Transmission Lines (<15’ tall)	Native/Drought Tolerant (once established)
Armstrong Maple	<i>Acer x freemanii</i> 'Armstrong'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Arnold Sentinel Pine	<i>Pinus nigra</i> 'Arnold Sentinel'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Autumn Brilliance Serviceberry	<i>Amelanchier grandiflora</i> 'Autumn Brilliance'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Black Hills Spruce	<i>Picea glauca</i> 'densata'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Brandywine Maple	<i>Acer rubrum</i> 'Brandywine'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Brewer’s Spruce	<i>Picea breweriana</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar Beech	<i>Fagus sylvatica</i> 'DaWyck'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Columnar Buckthorn	<i>Rhamnus/Frangula</i> pushiana 'columnaris'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar Serviceberry	<i>Amelanchier canadensis</i> 'Pyramidalis'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar Zelkova	<i>Zelkova serrata</i> 'Musashino'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Copper Rocket Paperbark Maple	<i>Acer griseum</i> 'JFS-KW22AGRI'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing – Less than 3 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Crimson Spire Oak	<i>Quercus alba x Q.robur var. Crimschmidt</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Fernleaf Buckthorn	<i>Rhamnus/Frangula pushiana 'aspelifolia'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Fireburst Paperbark Maple	<i>Acer griseum 'KW8AGRI'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Forest Prince Serviceberry	<i>Amelanchier grandiflora 'Forest Prince'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Goldspire Gingko	<i>Gingko biloba 'Blagon'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Hanna's Heart Katsura	<i>Cercidiphyllum japonicum 'Bringer'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Little Volunteer Tuliptree	<i>Liriodendron tulipifera 'Little Volunteer'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Lustre Serviceberry	<i>Amelanchier laevis 'Rogers'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Mayfield Gingko	<i>Gingko biloba 'Mayfield'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Merlot Redbud	<i>Cercis canadensis 'Merlot'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Mountain Stewartia	<i>Stewartia ovata</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pacific Fire Vine Maple	<i>Acer circinatum 'Pacific Fire'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Native Species
Pacific Purple Vine Maple	<i>Acer circinatum 'JFS-Purple'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Native Species
Palisade American Hornbeam	<i>Carpinus caroliniana 'CCSQU'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Persian Spire Ironwood	<i>Parrotia persica 'JLColumnar'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Pink Chimes Snowbell	<i>Styrax japonicus 'Pink Chimes'</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing – Less than 3 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Princess Diana Serviceberry	<i>Amelanchier grandiflora</i> 'Princess Diana'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Princeton Sentry Gingko	<i>Gingko biloba</i> 'Princeton Sentry'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Rainbow Pillar Serviceberry	<i>Amelanchier canadensis</i> 'Glennform'	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Red Fox Katsura	<i>Cercidiphyllum japonicum</i> 'Rotfuchs'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rising Fire American Hornbeam	<i>Carpinus caroliانا</i> 'Uxbridge'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Rocky Mountain Glow Maple	<i>Acer grandidentatum</i> 'Schmidt'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Skyrocket Oak	<i>Quercus robur</i> 'Fastigiata'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Slender Silhouette Sweetgum	<i>Liquidambar styraciflua</i> 'Slender Silhouette'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Snow Charm Snowbell	<i>Styrax japonicus</i> 'JFS-E'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Spaeth's Alder	<i>Alnus x spaethii</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Streetkeeper Honeylocust	<i>Gleditsia triacanthos</i> 'Draves'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Sugar Cone Maple	<i>Acer saccharum</i> 'Sugar Cone'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Summer Sprite Linden	<i>Tilia cordata</i> 'Halka'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Western Serviceberry	<i>Amelanchier alnifolia</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Native

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing: 3 feet to 6 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Afterburner Tupelo	<i>Nyssa sylvatica</i> 'David Odom'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
American Hophornbeam	<i>Ostrya virginiana</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
American Sentry Linden	<i>Tilia americana</i> 'McSentry'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Autumn Spire Maple	<i>Acer rubrum</i> 'Autumn Spire'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Black Gum/ Tupelo	<i>Nyssa sylvatica</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cinnamon Girl Paperbark Maple	<i>Acer griseum</i> x <i>A.maximowiczianum</i> 'Molly Fordham'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
City Sprite Zelkova	<i>Zelkova serrata</i> 'City Sprite'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Columnar European Hornbeam	<i>Carpinus betulus</i> 'fastigata' or 'Frans Fontaine'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar English Oak	<i>Quercus robur</i> 'fatigiata'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar Purple Beech	<i>Fagus sylvatica</i> 'DaWyck Purple'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Columnar Tuliptree	<i>Liriodendron tulipifera</i> 'fastigatum'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Columnar White Pine	<i>Pinus strobus</i> 'fastigiata'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Columnar Zelkova	<i>Zelkova serrata</i> 'Musashino'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DuraHeat River Birch	<i>Betula nigra</i> 'BNMTF'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Eddy's White Wonder Flowering Dogwood	<i>Cornus nutallii</i> x <i>florida</i> 'Eddy's White Wonder'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Emerald Pagoda Snowbell	<i>Styrax japonicus</i> 'Emerald Pagoda'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing: 3 feet to 6 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Firesprite American Hornbeam	<i>Carpinus caroliana</i> 'J.N. Upright'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Firestarter Tupelo	<i>Nyssa sylvatica</i> 'Firestarter'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Forest Pansy Redbud	<i>Cercis canadensis</i> 'Forest Pansy'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Gumdrop Tupelo	<i>Nyssa sylvatica</i> 'JFS-PN Legacy1'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heritage Improved River Birch	<i>Betula nigra</i> 'Cully Improved'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Inferno Sugar Maple	<i>Acer saccharum</i> 'Jeferno'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Japanese Snowbell	<i>Syrax japonicus</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Japanese Stewartia	<i>Stewartia pseudocamellia</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Karpick Maple	<i>Acer rubrum</i> 'Karpick'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Kousa Flowering Dogwood	<i>Cornus kousa</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Magyar Gingko	<i>Gingko biloba</i> 'Magyar'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Metro Gold Maple	<i>Acer campestre</i> 'Panacek'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Milky Way Flowering Dogwood	<i>Cornus kousa</i> 'Milky Way'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Native Flame American Hornbeam	<i>Carpinus caroliana</i> 'JFS-KW6'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Pacific Sunset Maple	<i>Acer platanoides</i> x <i>truncatum</i> 'Warrenred'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Persian Ironwood	<i>Parrotia persica</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Red Rage Tupelo	<i>Nyssa sylvatica</i> 'Haymanred'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing: 3 feet to 6 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Ruby Vase Persian Ironwood	<i>Parrotia persica 'Inge'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Saratoga Gingko	<i>Ginkgo biloba var. Saratoga</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Satomi Flowering Dogwood	<i>Cornus kousa 'Satomi'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Sensation Boxelder	<i>Acer negundo 'Sensation'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Snowcloud Serviceberry	<i>Amelanchier laevis 'Snowcloud'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Snowcone Snowbell	<i>Styrax japonicus 'JFS-D'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Snow Charm Snowbell	<i>Styrax japonicus 'JFS-E'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Spring Snow Crabapple	<i>Malus x sp. 'Spring Snow'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Starlight Flowering Dogwood	<i>Cornus kousa x nuttallii 'KN4-43'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Stellar Pink Flowering Dogwood	<i>Cornus florida x kousa 'Rutgan'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Streetside Maple	<i>Acer campestre 'JFS Shichte12'</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Thornless Hawthorn	<i>Crataegus crus-galli 'Inermis'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Vanderwolf Pine	<i>Pinus flexilis 'Vanderwolf'</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Native Species
Vanessa Persian Ironwood	<i>Parrotia persica 'Vanessa'</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Venus Flowering Dogwood	<i>Cornus kousa x nuttallii 'KN30-8'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Western Redbud	<i>Cercis occidentalis</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Native
Wildfire Tupelo	<i>Nyssa sylvatica 'Wildfire'</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Wireless Zelkova	<i>Zelkova serrata 'Schmidtlow'</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Planter Sizing: over 6 feet wide				
Common Name	Botanical Name	Allowable under Utility Lines (<30' tall)	Allowable under PGE Transmission Lines (<15' tall)	Native/Drought Tolerant (once established)
Arrowhead Sugar Maple	<i>Acer saccharum</i> 'Arrowhead'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Autumn Gold Gingko	<i>Ginkgo biloba</i> 'Autumn Gold'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Boulevard Linden	<i>Tilia americana</i> 'Boulevard'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Celebration Maple	<i>Acer x fremanii</i> 'Celzam'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Dove Tree	<i>Davidia involucrata</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Duraheat River Birch	<i>Betula nigra</i> 'BNMTF'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Firefall Maple	<i>Acer x fremanii</i> 'AF #1'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Greenspire Linden	<i>Tilia cordata</i> 'PNI6025'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Halka Honeylocust	<i>Gleditsia triacanthos</i> 'Christie'	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Drought Tolerant
Heritage Improved River Birch	<i>Betula nigra</i> 'Cully Improved'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Katsura Tree	<i>Cercidiphyllum japonicum</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Legacy Sugar Maple	<i>Acer saccharum</i> 'Legacy'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Oregon Trail Sugar Maple	<i>Acer saccharum</i> 'Hiawatha1'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pacific Dogwood	<i>Cornus nutallii</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> Native
Silver Lining Linden	<i>Tilia tomentosa</i> 'Silver Lining'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sterling Silver Linden	<i>Tilia tomentosa</i> 'Sterling Silver'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sun Valley Maple	<i>Acer rubrum</i> 'Sun Valley'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tricolor Beech	<i>Fagus sylvatica</i> 'Purpurea tricolor'	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Appendix G of the Road Design and Construction Standards

Approved Shrubs

Barberry

Berberis sp. under (3) feet in mature height

Firethorn

Pyracantha sp. —Mojave, Red Elf

Heather

Erica/Calluna vulgaris varieties

Mugo Pine

Pinus mugo 'pumilio'--Dwarf Mugo Pine

Oregon Grape

Mahonia compacta- Compact Oregon Grape

Rose

Rosa sp. - Carpet and Ground Cover -Type Varieties under (3) feet in mature height

Salal

Gaultheria shallon

Sumac

Rhus aromatica 'Gro-Low'

Wild Lilac

Ceanothus sp. and varieties under (3) feet in mature height

Wintercreeper

Euonymus fortunei varieties under (3) feet in mature height

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut



Approved Ground Cover

Fescue

Festuca ovina glauca—Blue Fescue

Firethorn

Pyracantha koidzumii—Santa Cruz

Kinnikinnick

Arctostaphylos uva-ursi—Bearberry

Oregon Grape

Mahonia repens—Creeping Oregon Grape

Periwinkle

Vinca sp.

Rose

Rosa sp. - Ground Cover Types

Strawberry

Fragaria chiloensis - Coastal Strawberry

Wild Lilac

Ceanothus griseus—Carmel Creeper



Appendix G of the Road Design and Construction Standards

Resources:

Bailey Nurseries, Catalog.

City of Beaverton, Approved Street Tree List.

City of Eugene, Approved Street Tree List and Planting Guide.

City of Forest Grove, Suggested Street Tree Planting List.

City of Hillsboro, Design and Construction Standards, Section 700-Landscaping. City of Portland, Approved Street Tree Planting Lists.

City of Salem, Select and Plant a Street Tree.

City of Seattle, Department of Transportation, Approved Street Tree List. City of Sherwood, Recommended Street Tree List.

City of Tigard, Approved Street Tree List.

City of Tualatin, Approved Street Tree List.

Clackamas County, Approved Street Trees List.

David Evans and Associates, Inc. <email correspondence> 2022.

Dirr, Michael. Dirr's Hardy Trees and Shrubs, Timber Press.

Farmington Gardens, <phone correspondence>, 2023.

J.Frank Schmidt & Son Co.– UtiliTrees -Reference Guide.

Kittleson & Associates, Inc. <email correspondence> 2022.

Kruger Tree Farm, Availability, Fall 2022/Spring 2023.

Marianne Zarkin Landscape Architects <email correspondence> 2022.

Monrovia Nurseries, Catalog and Availability, 2023.

Motz & Son Nursery, Availability 2023.

Oregon State University, Extension Service.

Portland General Electric, Plant and Tree Selection Considerations.

Washington State University, Drought Tolerant Landscaping for Washington State, 2015.

Department of Land Use & Transportation • Engineering, Traffic and Survey

1400 SW Walnut Street, MS 17, Hillsboro, OR 97123

503-846-7950 • www.washingtoncountyor.gov/lut